

**Claims:**

Please amend the claims as follow: Please **delete** claims **1-7** per the Examiners helpful suggestions and add claims **8 - 11**.

**Claims 1 – 7 (canceled)**

**Claim 8 (new):** The method for the detection of Prostate Specific Antigen the analyte of interest in a sample, wherein the sample is selected from the group consisting of urine, serum, whole blood, cerebral spinal fluid, gastric fluid, sweat extracts, hair homogenates, or saliva consisting essentially of using nucleounits targeted to Prostate Specific Antigen, identifying a nucleounit from a mixture of synthetic random sequences of nucleounit libraries, contacting the analyte with said mixture, removing the unbound nucleounits by partitioning, amplifying the remaining nucleounits by PCR, conjugating the nucleounits to an indicator and then using the nucleounit indicator conjugate for detecting the presence of Prostate Specific Antigen by;

- (A) placing the reagent consisting essentially of an nucleounit indicator conjugate and a buffer in the reagent compartment of a chemistry autoanalyzer, aliquoting samples, calibrators, and controls into sample cups and placing them on the chemistry autoanalyzer;
- (B) and transferring aliquots of each sample, calibrator, and control into single discrete cuvettes mounted within the chemistry autoanalyzer; and
- (C) aliquoting the said reagent into each cuvette and mixing; and
- (D) incubating the reaction mixture; and
- (E) measuring and recording absorbance values of the reaction mixtures with the chemistry autoanalyzer's spectrophotometer at 340 nm to 800 nm at preprogrammed time intervals; and

(F) comparing absorbance values of samples and controls to those of calibrators in the form of a standard curve thereby quantitating the prostate specific antigen present without the use of nucleic acid ligands.

**Claim 9 (new):** The method according to claim 8 wherein said nucleounit indicator conjugate can be selected from the group consisting of 4-Aminophenyl-beta-D-galactopyranoside, 3-indoxyl-beta-D-galactopyranoside (blue), 5-Bromo-4-chloro-3-indoxyl-beta-D-galactopyranoside (blue), 5-Bromo-3-indoxyl-beta-D-galactopyranoside (blue), 6-chloro-3-indoxyl-beta-D-galactopyranoside (salmon), 5-bromo-6-chloro-3-indoxyl-beta-D-galactopyranoside (Magenta- beta- D-Gal) 6-Fluoro-3-indoxyl-beta-D-galactopyranoside, 8-Hydroxyquinoline-beta-D-galactopyranoside, 5-Iodo-3-indoxyl-beta-D-galactopyranoside (purple), 2-Nitrophenyl-beta-D-galactopyranoside, 4-Nitrophenyl-beta-D-galactopyranoside, Naphthol AS-BI-beta-D-galactopyranoside, 2-Naphthyl-beta-D-galactopyranoside (yellow), 4-Methylumbelliferyl-beta-D-glucuronic acid, galactosidase, beta-D-Galactosidase, Iodo-3-indoxyl-beta-D-galactopyranoside, alpha-L-Galactosidase, Iodo-3-indoxyl-alpha-L-galactopyranoside, beta-D-Cellobiosidase, 5-Bromo-4-chloro-3-indoxyl-beta-D-cellobioside, 5-Bromo-6-chloro-3-indoxyl-beta-D-cellobioside, 4-Nitrophenyl-beta-D-cellobioside, 1-Naphthyl-cellobioside, 4-Methylumbelliferyl-beta-D-cellobioside, glycosidases, galactosidase, cellobiosidase, Arabinosidase, Fucosidase, Galactosaminidase, Glucosaminidase, Glucosidase, Glucuronidase, Lactosidase, Maltosidase, Mannosidase, Xylosidase, arabinopyranoside, Fucopyranoside, Galactosaminide, Glucosaminide, Glucopyranoside, Glucuronic acid, Lactopyranoside, Maltopyranoside, Mannopyranoside, Xylopyranoside, 5-Bromo-4-chloro-3-indoxyl, 5-Bromo-6-chloro-3-indoxyl, 6-chloro-3-indoxyl, 5-Bromo-3-indoxyl, 5-Iodo-3-indoxyl, 3-indoxyl, 2-(6-Bromonaphthyl), 6-Fluoro-3-indoxyl 2-Nitrophenyl, 4-Nitrophenyl, 1-Naphthyl, Naphthyl AS-BI, 2-Nitrophenyl-N-acetyl, 4-Nitrophenyl-N-acetyl, 4-Methylumbelliferyl moieties, esterases, Carboxyl esterase, Cholesterol esterase, sulfatases, Aryl sulfatase, phosphatases, Alkaline phosphatase, Carboxyl esterase, 6-chloro-3-indoxyl butyrate, Aryl sulfatase, 5-bromo-4-chloro-3-indoxyl sulfate, alkaline phosphatase 2-naphthyl, dehydrogenase, oxidase, hydroxylase, oxidoreductase, dehydrogenases, hydroxylases, a-NAD, nicotinamide

adenine dinucleotide, nicotinamide adenine dinucleotide 3'-phosphate, nicotinamide adenine dinucleotide phosphate, triphosphopyridine, nicotinamide 1-N1-ethenoadenine dinucleotide phosphate, nicotinamide hypoxanthine dinucleotide, nicotinamide hypoxanthine dinucleotide phosphate, nicotinamide mononucleotide, nicotinamide N1-propylsulfonate, nicotinamide ribose monophosphate, Formaldehyde dehydrogenase, Fructose dehydrogenase, Glucose-6-phosphate dehydrogenase, Glucose dehydrogenase, Glutamate dehydrogenase, Glycerol dehydrogenase, Glycerol-3-phosphate dehydrogenase, hydroxybutyrate dehydrogenase, Hydroxybenzoate hydroxylase, Lactate dehydrogenase, Leucine dehydrogenase, Malate dehydrogenase, Mannitol dehydrogenase, oxidases, Acyl-CoA oxidase, alcohol oxidase, ascorbate oxidase, Cholesterol oxidase, Choline oxidase, Glucose oxidase, Glycerophosphate oxidase, Xanthine oxidase, Uricase, peroxidase, pyrogallol, ABTS (2,2'-Azinobis(3-ethylbenzthiazoline) sulfonic acid), 3,3',5,5'-Tetramethylbenzidine, ortho-Dianisidine, 3,3'-Diaminobenzidine, AEC (3-Amino-9-ethyl carbazole), 2,5, dimethyl-2,5-dihydroperoxyhexane, Bis{4-[N-(3'-sulfo-n-propyl)-N-n-ethyl]amino-2,6-dimethylphenyl}methane (Bis-MAPS), N-Ethyl-N-(2-hydroxy-3-sulfopropyl)-3-methoxyaniline (ADOS), N-Ethyl-N-(3-sulfopropyl)-3-methoxyaniline (ADPS), N-Ethyl-N-(2-hydroxy-3-sulfopropyl)aniline (ALOS), N-Ethyl-N-(3-sulfopropyl)-3,5-dimethylaniline (MAPS), N-Ethyl-N-(2-hydroxy-3-sulfopropyl)-3-methylaniline (TOOS), N-Ethyl-N-(3-sulfopropyl)-3-methylaniline (TOPS), N-(3-sulfopropyl)aniline (HALPS), N-Ethyl-N-(2-hydroxy-3-sulfopropyl)-3,5-dimethoxyaniline (DAOS), N-Ethyl-N-(3-sulfopropyl)-3,5-dimethoxyaniline (DAPS), N-Ethyl-N-(3-sulfopropyl)aniline (ALPS), N-(2-hydroxy-3-sulfopropyl)-3,5-dimethoxyaniline (HDAOS), N-(3-sulfopropyl)-3,5-dimethoxyaniline (HDAPS), N-Ethyl-N-(2-hydroxy-3-sulfopropyl)-3,5-dimethylaniline (MAO), and N,N-Bis(4-sulfobutyl)-3,5-dimethylaniline (MADB), 3-Methyl-2-benzothiazolinonehydrazone, Dimerhylaniline, 4-aminoantipyrine, phenol, 2,4-Dichlorophenol, N,N-Diethyl-m-toluidine, p-Hydroxybenzene Sulfonate, N,N-Dimethylaniline, 3,5-Dichloro-2-Hydroxybenzenesulfonate, Sodium N-Ethyl-N-(3-Sulfopropyl)-m-Anisidine, N-Ethyl-N-(2-hydroxy-3-Sulfopropyl)-m-toluidine, NADPH oxidoreductase, NADPH, oxidoreductase, and NBT (nitro blue tetrazolium).

**Claim 10 (new):** The method according to claim 8 wherein said buffer can be selected from the group consisting of citrate, borate, phosphate, borax, sodium tetraborate decahydrate, sodium perchlorate, sodium chlorate, sodium carbonate, TRIS (Tris[hydroxymethyl]aminomethane), MES (2-[N-Morpholino]ethanesulfonic acid), BIS-TRIS (bis[2-Hydroxyethyl]iminotris[hydroxymethyl]methane; 2-bis[2-Hydroxyethyl]amino-2-[hydroxymethyl-1,3-propanediol]), ADA (N-[2-Acetamidol]-2-iminodiacetic acid; N-[Carbaoylmethyl]iminodiacetic acid), ACES (2-[(2-Amino-2-oxoethyl)amino]ethanesulfonic acid; N-[2-Acetamido]-2-aminoethanesulfonic acid), PIPES (Piperazine-N,N'-bis[2-ethanesulfonic acid]); 1,4-Piperzinedethanesulfoic acid), MOPSO (3-[N-Morpholinol]-2-hydroxypropanesulfonic acid), BIS-TRIS PROPANE (1,3-bis[tris(Hydroxymethyl)methylamino]propane), BES (N,N-bis[2-Hydroxyethyl]-2-aminoethanesulfonic acid; 2-bis(2-Hydroxyethyl)amino]ethanesulfonic acid), MOPS (3-[N-Morpholino]propanesulfonic acid), TES (N-tris[Hydroxymethyl]methyl-2-aminomethanesulfonic acid; 2[2-Hydroxy-1,1-bis(hydroxymethyl)ethyl]amino)ethanesulfonic acid), HEPES (N-[2-Hydroxyethyl]piperazine-N'-[2-ethanesulfonic acid]), DIPSO (3-[N,N-bis(2-Hydroxyethyl)amino]-2-hydroxypropanesulfonic acid), TAPSO (3-[N-tris(Hydroxyethyl)methylamino]-2-hydroxypropanesulfonic acid), HEPPSO (N-[2-Hydroxyethyl]piperazine-N'-[2-Hydroxypropanesulfonic acid]), POPSO (Piperazine-N,N'-bis[2-hydroxypropanesulfonic acid]), EPPS (N-[2-Hydroxyethyl]piperazine-N'-[3-propanesulfonic acid]), TEA (triethanolamine), TRICINE (N-tris[Hydroxymethyl]methylglycine; N-[2-Hydroxy-1,1-bis(hydroxymethyl)ethyl]glycine), BICINE (N,N-bis[2-Hydroxyethyl]glycine), TAPS (N-tris[Hydroxymethyl]methyl-3-aminopropanesulfonic acid; ([2-Hydroxy-1,1-bis(hydroxymethyl)ethyl]amino)-1-propanesulfonic acid), AMPSO (3-[(1,1-Dimethyl-2-hydroxyethyl)amino]-2-hydroxypropanesulfonic acid), CHES (2-[N-Cyclohexylamino]ethanesulfonic acid), CAPSO (3-[Cyclohexylamino]-2-hydroxy-1-propanesulfonic acid), AMP 2-Amino-2-ethyl-1-propanol, CAPS (3-[cyclohexylamino]-1-propanesulfonic acid), hydrochloric acid, phosphoric acid, lactic acid, sulfuric acid, nitric acid, chromic acid, boric acid, perchloric acid, potassium hydrogen tartrate, potassium hydrogen phthalate, calcium

hydroxide, phosphate, bicarbonate, sodium hydroxide, potassium hydroxide, oxalate or succinate.

**Claim 11 (new):** The method according to claim 8 wherein said analyte of interest can be selected from the group consisting of cocaine, opiates, gamma-hydroxybutyric acid, cannabinoids, benzodiazepines, acetaminophen, amikacin, aminocaproic acid, amitriptyline, amobarbital, amphetamine, bromide, caffeine, carbamazepine, carbenicillin, chloral hydrate, chloramphenicol, chlordiazepoxide, chlorpromazine, cimetidine, clonazepam, clonidine, clorazepate, cocaine, cocaine metabolites, ethanol, methanol, codeine, cyclosporine, desipramine, dexamethsone, diazepam, digoxin, diphenylhydantoin, disopyramide, doxepin, ephedrine, ethchlorvynol, ethosuximide, fenoprofen, flecainide, flurazepam, gentamicin, glutethimide, hydromorphone, ibuprofen, imipramine, isoniazid, kanamycin, lidocaine, lithium, lorazepam, lysergic acid, meperidine, meprobamate, methadone, methamphetamine, methaqualone, methotrexate, methsuximide, methyl dopa, methyprylon, morphine, n-acetylprocainamide, netilmicin, nortriptyline, oxazepam, oxycodone, paraldehyde, paraquat, pentazocine, pentobarbital, phenacetin, phencyclidine, phenobarbital, phensuximide, phenylbutazone, phenylpropanolamine, phenytoin, primidone, procainamide, propoxyphene, propranolol, protriptyline, quinidine, salicylates, secobarbital, theophylline, thiocyanate, thiopental, thioridazine, tobramycin, tolbutamide, valproic acid, vancomycin, cholesterol, triglycerides, glucose, adrenocorticotrophic hormone, alanine, alanine aminotransferase, albumin, aldolase, aldosterone, amylase, amyloid-associated protein, androstenedione, angiotensin, antidiuretic hormone, antithrombin, antitrypsin, apolipoprotein, ascorbic acid, bile acids, bilirubin, c-peptide, calcitonin, calcium, cancer antigen 125, carboxyhemoglobin, carotene, catecholamines, cholic acid, cholyglycine, chromium, chymotrypsin, complement components, coproporphyrin, corticobinding globulin, corticosterone, cortisol, c-peptide, c-reactive protein, creatine, creatinine, creatine kinase, cyclic AMP, cystine, cysteine, dehydroepiandrosterone, dehydroepiandrosterone sulfate, deoxycholic acid, 11-deoxycorticosterone, 11-deoxycortisol, dihydrotestosterone, estradiol, estriol, estrogen, estrone, fecal fat, fatty acids, ferritin, fetoprotein, fibrinogen, folate, follicle stimulating hormone, thyroxine, triiodothyronine, fructose, fructosamine,

galactose, gastric acid, gastrin, glucagons, glucose-6-phosphate, glutamine, glutamyltransferase (GGT), glutathione, hemoglobin, glycerol, glycine, glycolic acid, gold, gonadotropins, growth hormone, haptoglobin, high-density lipoproteins, hemopexin, hemocystein, homocysteine, homogentisic acid, homovanillic acid, hydrogen sulfide, 17-hydroxycorticosteroids, 5-hydroxyindoleacetic acid, 17-hydroxyprogesterone, hydroxyproline, immunoglobins, insulin, iron, isocitrate dehydrogenase, isoleucine, 17-ketogenic steroids, ketone bodies, lactate, lactate dehydrogenase, lactose, LDL-cholesterol, lecithin, leucine, leukocyte, lipase, lipoproteins, lutropin, lysozyme, macroamylase, magnesium, melanin, metanephrine, methionine, metyrapone, microsomal antibodies, antibodies, molybdenum, mucopolysaccharide, myelin basic protein, myoglobin, methemoglobin, niacin, nickel, nitrite, nitrogen, nonprotein nitrogen, normetanephrine, blood, orosomucoid, oxalate, oxytocin, pancreatic polypeptide, pantothenic acid, parathyroid hormone, pentachlorophenol, pentoses, pepsinogen, phenols, phenolsulfonphthalein, phenylalanine, acid phosphatase, alkaline phosphatase, phosphofructokinase, phospholipids, placental lactogen, plasminogen, porphobilinogen, prealbumin, pregnanediol, chorionic gonadotropin, pregnanetriol, pregnenolone, progesterone, porinsulin, properdin, prostaglandins, portoporphyrin, pseudocholinesterase, pyruvic acid, renin, reverse triiodothyronine, rheumatoid factor, riboflavin, secretin, selenium, serotonin, somatomedin c, sucrose, testosterone, tetrahydrocortisol, tetrahydrodeoxycortisol, thallium, thyroglobin, thyroid antibodies, thyroid stimulating hormone, thyroxine binding globulin, thyroxine, transcortin, transferring, transketolase, transthyretin, thyrotropin-releasing hormone, triglycerides, triiodothyronine, tyrosine, urea, urea nitrogen, uric acid, uricase, urobilinogen, uroporphyrin, valine, vanillylmandelic acid, vasoactive intestinal polypeptide, human chorionic gonadotropin, mass creatinine kinase, vitamins, xylose, zinc, cyanide, formaldehyde, ethylene glycol, lead, mercury, xylene, human immunodeficiency virus (HIV), cytomegalovirus (CMV) IgG, cytomegalovirus (CMV) IgM, herpes simplex virus (types 1 and 2) IgG, rubella IgG, rubella, IgM, toxoplasma IgG, toxoplasma IgM, amebiasis, Epstein-barr early antigen, Epstein-barr EBNA IgG, Epstein-barr VCA IgG, Epstein-barr VCA IgM, helicobacter pylori-IgG, legionella IgG/IgM/IgA, mycoplasma IgG, mycoplasma IgM, varicella zoster virus (VZV), antinuclear antibodies (ANA),

antineutrophil cytoplasmic antibodies (ANCA), anti-cardiolipin, anti-dsDNA, anti-Jo-1, anti-Scl-70, anti-Sm (Smith antigen), anti-Sm/RNP, anti-SS-A/Ro, anti-SS-B/La, extractable nuclear antigen (ENA), myeloperoxidase IgG, proteinase-3 IgG, or Rheumatoid Factor.

**Conclusion**

The applicant has deleted old claims 1-7 and added new claims 8-15 to define the invention more particularly and distinctly so as to overcome the rejections and define the invention patentably over the prior art.

For all of the above reasons, applicant submits that the specification and claims are now in proper form, and that the deleted claims 1-7 new claims 8-11 define patentably over the prior art. Therefore the applicant submits that this application is now in condition for allowance, which action is respectfully solicited.



### Conditional Request For Constructive Assistance

Applicant has amended the specification and claims of this application so that they are proper, definite, and define novel structure which is also unobvious. If, for any reason this application is not believed to be in full condition for allowance, applicant respectfully requests the constructive assistance and suggestions of the Examiner pursuant to M.P.E.P. § 107.03(d) and § 707.07(j) in order that the undersigned can place this application in allowable condition as soon as possible and without the need for further proceedings.

Very Respectfully Submitted,

  
Jack V. Smith

\_\_\_\_ Applicant Pro Se \_\_\_\_\_

P.O. BOX 156

Arden, NC 28704

Phone: 828-650-0410 or 828-275-0343 or 800-905-4272


Fax: 828-650-0359

Certificate of mailing: I certify that on the date below this document and referred attachments, if any, will be deposited with the US Postal service as Express Mail in and envelope addressed to: "Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450".

EXPRESS MAIL LABEL #: EU757732214US

Date: 01/23/04

signed

  
\_\_\_\_\_  
Jack V. Smith